

Form –IV
(See rule 13)
Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	J. Jaggi, Administrator
	(ii) Name of HCF or CBMWTF	:	Maharaj Charan Singh Charitable Hospital
	(iii) Address for Correspondence	:	VPO: Sikanderpur, Distt. Sirsa (Hry.) – 125060
	(i) Address of Facility	:	VPO: Sikanderpur, Distt. Sirsa (Hry.) – 125060
	(ii) Tel. No. Fax. No.	:	01666-236501, 236502 (Tele)
	(V) E-mail ID	:	skp.administrator@mjsmrs.in
	(i) URL of Website	:	http://www.mjsmrs.in/sikanderpur
	(ii) GPS coordinates of HCF or CBMWTF	:	29.549°N latitude, 75.114°E longitude
	(iii) Ownership of HCF of CBMWTF	:	(State Government or Private or Semi Govt. or any other) Charitable Society
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	No.HSPCB/BMW/2018-19 dated 24.04.2018 Authorization No.BMW18SIR5225626 Valid up to 31.03.2021
	(v) Status of Consents under Water Act and Air Act.	:	Authorization No.HSPCB/Consent/329986517SIRCTO3967146 dated 11.05.2017 Both - Valid up to 31.03.2026
2.	Type of Health Care Facility	:	Hospital
	(i) Bedded Hospital	:	No. of Beds – 25 (Revised number)
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	N.A.
	(iii) License number and its date of expiry.	:	N.A.
3.	Details if CBMWTF	:	N.A.
	(i) Number healthcare facilities covered by CBMWTF	:	-
	(ii) No. of beds covered by CBMWTF	:	-
	(iii) Installed treatment and disposal capacity of CBMWTF	:	-
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	-
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 37.8 Kg. per month Red Category: 54.7 Kg. per month White: 1.8 Kg. per month Blue Category: 13.2 Kg. per month General Solid waste

5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																							
(i) Details of the on-site storage facility	:	<table border="1"> <thead> <tr> <th></th> <th><u>Yellow</u></th> <th><u>Red</u></th> <th><u>Blue</u></th> </tr> </thead> <tbody> <tr> <td>Sizes:</td> <td>22"x22"x30"</td> <td>22"x22"x30"</td> <td>12"x12"x18"</td> </tr> <tr> <td>Capacity:</td> <td>8.40 Cuft</td> <td>8.40 Cuft</td> <td>1.5 Cuft</td> </tr> <tr> <td colspan="4">Provision of on-site storage : (cold storage or any other provision) N.A.</td> </tr> </tbody> </table>				<u>Yellow</u>	<u>Red</u>	<u>Blue</u>	Sizes:	22"x22"x30"	22"x22"x30"	12"x12"x18"	Capacity:	8.40 Cuft	8.40 Cuft	1.5 Cuft	Provision of on-site storage : (cold storage or any other provision) N.A.																																							
	<u>Yellow</u>	<u>Red</u>	<u>Blue</u>																																																					
Sizes:	22"x22"x30"	22"x22"x30"	12"x12"x18"																																																					
Capacity:	8.40 Cuft	8.40 Cuft	1.5 Cuft																																																					
Provision of on-site storage : (cold storage or any other provision) N.A.																																																								
(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No. Of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Autoclaves</td> <td>01</td> <td>-</td> <td>5.600 kg.</td> </tr> <tr> <td>Microwave</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Hydroclave</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Shredder</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>08</td> <td>-</td> <td>21.000 kg.</td> </tr> <tr> <td>Sharps</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Encapsulation or concrete pit</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Deep burial pits</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Chemical disinfection</td> <td colspan="3">Done with Sodium Hypochlorite Solution</td> </tr> <tr> <td>Any other treatment equipment</td> <td>-</td> <td>-</td> <td>-</td> </tr> </tbody> </table>			Type of treatment Equipment	No. Of Units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators	-	-	-	Plasma Pyrolysis	-	-	-	Autoclaves	01	-	5.600 kg.	Microwave	-	-	-	Hydroclave	-	-	-	Shredder	-	-	-	Needle tip cutter or destroyer	08	-	21.000 kg.	Sharps	-	-	-	Encapsulation or concrete pit	-	-	-	Deep burial pits	-	-	-	Chemical disinfection	Done with Sodium Hypochlorite Solution			Any other treatment equipment	-	-	-
Type of treatment Equipment	No. Of Units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																					
Incinerators	-	-	-																																																					
Plasma Pyrolysis	-	-	-																																																					
Autoclaves	01	-	5.600 kg.																																																					
Microwave	-	-	-																																																					
Hydroclave	-	-	-																																																					
Shredder	-	-	-																																																					
Needle tip cutter or destroyer	08	-	21.000 kg.																																																					
Sharps	-	-	-																																																					
Encapsulation or concrete pit	-	-	-																																																					
Deep burial pits	-	-	-																																																					
Chemical disinfection	Done with Sodium Hypochlorite Solution																																																							
Any other treatment equipment	-	-	-																																																					
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) N.A.																																																						
(iv) No of vehicles used for collection and transportation of biomedical waste.	:	N.A.																																																						
(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	<table border="1"> <thead> <tr> <th>Quantity generated</th> <th>Where disposed</th> <th>Incineration Ash / ETP Sludge</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> </tr> </tbody> </table>			Quantity generated	Where disposed	Incineration Ash / ETP Sludge	NA	NA	NA																																														
Quantity generated	Where disposed	Incineration Ash / ETP Sludge																																																						
NA	NA	NA																																																						
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s. Invision Enviro Services Regd.Office: 1 st Floor, Vikas Medicos, Opp. Telephone Exchange, Sirsa-125055 Plant: VPO: Phulkan, Distt.Sirsa (Haryana)																																																						
(vii) List of member HCF not handed over bio-medical waste.	:	N.A.																																																						
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	Yes (Minutes of the meetings attached as Annexure-I)																																																					

7.	Detail trainings conducted on BMW	:	
	(i) Number of training conducted on BMW Management.	:	02
	(ii) Number of personnel trained	:	24
	(iii) Number of personnel trained at the time of induction	:	04
	(iv) Number of personnel not undergone any training so far.	:	Nil
	(v) Whether standard manual for training is available?	:	Yes
	(vi) Any other information)	:	N.A.
8.	Details of the accident occurred during the year	:	Nil
	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	N.A.
	(iv) Any Fatality occurred, details.	:	Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?	:	N.A.
	Details of Continuous online emission monitoring systems installed	:	N.A.
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	:	7033 Ltrs. Per month Liquid bio-medical waste is pre-treated before mixing with other waste water which is further treated with STP.
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Yes Nil
12.	Any other relevant information	:	(Air Pollution Control Device attached with the incinerator.) N.A.

Certified that the above report is for the period from **January, 2019 to December, 2019.**



Name and Signature of the Head of the Institution

J. Jaggi
Administrator
Maharaj Charan Singh Charitable Hospital
Sikanderpur-125060 (Sirsa) Haryana

Date: 30/01/2020

Place: Sikanderpur (Sirsa)