

Form –IV
(See rule 13)
Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common biomedical waste treatment facility (CBWTF)]

Sl.No	Particulars	
1.	Particulars of the Occupier (i) Name of the authorized person (occupier or operator of facility) : Gulshan Karmani, Administrator (ii) Name of HCF or CBMWTF : Maharaj Charan Singh Charitable Hospital (iii) Address for Correspondence : VPO: Sikanderpur, Distt. Sirsa (Hry.) – 125060 (i) Address of Facility : VPO: Sikanderpur, Distt. Sirsa (Hry.) – 125060 (ii) Tel. No. Fax. No. : 01666-236501, 236502 (Tele) (V) E-mail ID : skp.administrator@mjsmrs.in (i) URL of Website : http://www.mjsmrs.in/sikanderpur (ii) GPS coordinates of HCF or CBMWTF : 29.549°N latitude, 75.114°E longitude (iii) Ownership of HCF of CBMWTF : (State Government or Private or Semi Govt. or any other) Charitable Society (iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules. : No.HSPCB/BMW/2024-2025 dated 31.01.2024 Authorization No.BMW24SIR57201433 Valid up to 31.03.2027 (v) Status of Consents under Water Act and Air Act. : a) No.HSPCB/Consent/329986517SIRCTO3967146 dated 11.05.2017 Both - Valid up to 31.03.2026 b) No. HSPCB/Consent/329986525SIRCTO3977964 dated 19.12.2025 Renewal - Valid up to 31.03.2036	
2.	Type of Health Care Facility (i) Bedded Hospital : Hospital (ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) : No. of Beds – 25 (Revised number) (iii) License number and its date of expiry. : N.A.	
3.	Details of CBMWTF (i) Number healthcare facilities covered by CBMWTF : N.A. (ii) No. of beds covered by CBMWTF : - (iii) Installed treatment and disposal capacity of CBMWTF : - (iv) Quantity of biomedical waste treated or disposal by CBMWTF : -	
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) : Yellow category: 41.8Kg. per month Red Category: 82.0 Kg. per month White: 3.6 Kg. per month Blue Category: 11.4 Kg. per month General Solid waste -	

5.		Details of the Storage , treatment, transportation, processing and Disposal Facility																																																				
(i) Details of the on-site storage facility		<table border="1"> <thead> <tr> <th></th><th><u>Yellow</u></th><th><u>Red</u></th><th><u>Blue</u></th></tr> </thead> <tbody> <tr> <td>Sizes:</td><td>22"x22"x30"</td><td>22"x22"x30"</td><td>12"x12"x18"</td></tr> <tr> <td>Capacity:</td><td>8.40 Cuft</td><td>8.40 Cuft</td><td>1.5 Cuft</td></tr> <tr> <td>Provision of on-site storage :</td><td colspan="3">(cold storage or any other provision) N.A.</td></tr> </tbody> </table>					<u>Yellow</u>	<u>Red</u>	<u>Blue</u>	Sizes:	22"x22"x30"	22"x22"x30"	12"x12"x18"	Capacity:	8.40 Cuft	8.40 Cuft	1.5 Cuft	Provision of on-site storage :	(cold storage or any other provision) N.A.																																			
	<u>Yellow</u>	<u>Red</u>	<u>Blue</u>																																																			
Sizes:	22"x22"x30"	22"x22"x30"	12"x12"x18"																																																			
Capacity:	8.40 Cuft	8.40 Cuft	1.5 Cuft																																																			
Provision of on-site storage :	(cold storage or any other provision) N.A.																																																					
(ii) Disposal Facilities		<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th><th>No. of Units</th><th>Capacity Kg/day</th><th>Quantity treated or disposed in kg per annum</th></tr> </thead> <tbody> <tr> <td>Incinerators</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Plasma Pyrolysis</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Autoclaves</td><td>01</td><td>-</td><td>4.7 kg.</td></tr> <tr> <td>Microwave</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Hydroclave</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Shredder</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Needle tip cutter or destroyer</td><td rowspan="2">44</td><td rowspan="2">-</td><td rowspan="2">44.0 kg.</td></tr> <tr> <td>Sharps</td></tr> <tr> <td>Encapsulation or concrete pit</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Dep burial pits</td><td>-</td><td>-</td><td>-</td></tr> <tr> <td>Chemical disinfection</td><td colspan="3">Done with Sodium Hypochlorite Solution</td></tr> <tr> <td>Any other treatment equipment</td><td>-</td><td>-</td><td>-</td></tr> </tbody> </table>				Type of treatment Equipment	No. of Units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators	-	-	-	Plasma Pyrolysis	-	-	-	Autoclaves	01	-	4.7 kg.	Microwave	-	-	-	Hydroclave	-	-	-	Shredder	-	-	-	Needle tip cutter or destroyer	44	-	44.0 kg.	Sharps	Encapsulation or concrete pit	-	-	-	Dep burial pits	-	-	-	Chemical disinfection	Done with Sodium Hypochlorite Solution			Any other treatment equipment	-	-	-
Type of treatment Equipment	No. of Units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																			
Incinerators	-	-	-																																																			
Plasma Pyrolysis	-	-	-																																																			
Autoclaves	01	-	4.7 kg.																																																			
Microwave	-	-	-																																																			
Hydroclave	-	-	-																																																			
Shredder	-	-	-																																																			
Needle tip cutter or destroyer	44	-	44.0 kg.																																																			
Sharps																																																						
Encapsulation or concrete pit	-	-	-																																																			
Dep burial pits	-	-	-																																																			
Chemical disinfection	Done with Sodium Hypochlorite Solution																																																					
Any other treatment equipment	-	-	-																																																			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		Red Category (like plastic, glass etc.) N.A.																																																				
(iv) No of vehicles used for collection and transportation of biomedical waste.		N.A.																																																				
(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		<table border="1"> <thead> <tr> <th>Quantity generated</th><th>Where disposed</th><th>Incineration Ash / ETP Sludge</th></tr> </thead> <tbody> <tr> <td>NA</td><td>NA</td><td>NA</td></tr> </tbody> </table>					Quantity generated	Where disposed	Incineration Ash / ETP Sludge	NA	NA	NA																																										
Quantity generated	Where disposed	Incineration Ash / ETP Sludge																																																				
NA	NA	NA																																																				
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s. Surya Waste Management Office: BG 32, Pushpa Complex, Delhi Road, Hisar Workplace: Sahuwala Road, Vill.Chadiwal, Sirsa																																																				
(vii) List of member HCF not handed over bio-medical waste.		N.A.																																																				
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	Yes (Minutes of the meetings attached as Annexure-I)																																																				

7.	Detail trainings conducted on BMW	:	
(i)	Number of training conducted on BMW Management.	:	01
(ii)	Number of personnel trained	:	46
(iii)	Number of personnel trained at the time of induction	:	07
(iv)	Number of personnel not undergone any training so far.	:	Nil
(v)	Whether standard manual for training is available?	:	Yes
(vi)	Any other information)	:	N.A.
8.	Details of the accident occurred during the year	:	Nil
(i)	Number of Accidents occurred	:	Nil
(ii)	Number of the persons affected	:	Nil
(iii)	Remedial Action taken (Please attach details if any)	:	N.A.
(iv)	Any Fatality occurred, details.	:	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	N.A.
	Details of Continuous online emission monitoring systems installed	:	N.A.
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	:	5335 Ltrs. Per month Liquid bio-medical waste is pre-treated before mixing with other waste water which is further treated with STP.
11.	If the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Yes Nil
12.	Any other relevant information	:	(Air Pollution Control Device attached with the incinerator.) N.A.

Certified that the above report is for the period from January, 2025 to December, 2025.

Date: 08/01/2026
Place: Sikanderpur (Sirsa)


Name and Signature of the Head of the Institution

Gulshan Kamani
Administrator
Maharaj Charan Singh Charitable Hospital
Sikanderpur-125060 (Sirsa) Haryana